

References

- Baker, R. H., and R. DeSalle. 1997. Multiple sources of character information and the phylogeny of Hawaiian drosophilids. *Syst. Biol.* 46: 674-698.
- Baker, R. H., G. S. Wilkinson, and R. DeSalle 2001. Phylogenetic utility of different types of molecular data used to infer evolutionary relationships among stalk-eyed flies (Diopsidae). *Syst. Biol.* 50: 87-105.
- Ballard, J. W., 2000 Comparative genomics of mitochondrial DNA in members of the *Drosophila melanogaster* subgroup. *J Mol. Evol.* 51: 48-63.
- Baum, B. R. 1992. Combining trees as a way of combining data sets for phylogenetic inference, and the desirability of combining gene trees. *Taxon* 41: 3-10.
- Beard , C. B., D. M. Hamm, and F. H. Collins, 1993 The mitochondrial genome of the mosquito *Anopheles gambiae*: DNA sequence, genome organization, and comparisons with mitochondrial sequences of other insects. *Insect Mol. Biol.* 2: 103-124.
- Beverly, S. M., and A. C. Wilson 1994. Molecular evolution in *Drosophila* and the higher Diptera II. A time scale for fly evolution. *J. Mol. Evol.* 21:1-13.
- Bininda-Emonds, O. R. P., and M. J. Sanderson 2001. Assessment of the accuracy of matrix representation with parsimony analysis supertree construction. *Syst. Biol.* 50: 565-579.
- Bonacum, J., DeSalle, R., O'Grady, P., Olivera, D., Wintermute, J., and Zilversmit, M. 2002. New nuclear and mitochondrial primers for systematics and comparative genomics in Drosophilidae. *Drosophila Information Service*
- Boore, J. L., and W. M. Brown, 1998. Big trees from little genomes: mitochondrial gene order as a phylogenetic tool. *Curr. Opin. Genet. Dev.* 8: 668-674.
- Brower, A. V. Z., and R. DeSalle. 1994. Practical and theoretical considerations for choice of a DNA sequence region in insect molecular systematics, with a short review of published studies using nuclear gene regions. *Ann. Entomol. Soc. Am.* 87: 702-716.
- Castresana, J., 2000 Selection of conserved blocks from multiple alignments for their use in phylogenetic analysis. *Mol. Biol. Evol.* 17: 540-552.
- Caterino, M. S., S. Cho and F. A. H. Sperling, 2000. The current state of insect molecular systematics: A thriving Tower of Babel. *Ann. Rev. Entomol.* 45: 1-54.
- Chase, M. W. and 41 other authors. 1993. Phylogenetics of seed plants: An analysis of nucleotide sequences from the plastid gene *rbcL*. *Ann. Mo. Bot. Gard.* 80:528-580.
- Clary, D. O., and D. R. Wolstenholme, 1985 The mitochondrial DNA molecular of *Drosophila yakuba*: nucleotide sequence, gene organization, and genetic code. *J. Mol. Evol.* 22: 252-271.

- Coddington, J. A. and N. Scharff. 1997. Problems with "soft" polytomies. *Cladistics*, 12(2): 139-145.
- Cognato, A. I., and A. P. Vogler. 2001. Exploring data interaction and nucleotide alignment in a multiple gene analysis of *Ips* (Coleoptera: Scolytinae). *Syst. Biol.* 50: 758-780.
- Collins, K.P. and B. M. Wiegmann. 2002a Phylogenetic relationships of the Eremoneura (Diptera: Brachycera) based on 28S rDNA and EF-1 α sequences. *Insect Systematics and Evolution* 33: 421-444.
- Collins, K.P., and B. M. Wiegmann. 2002b Phylogenetic relationships of the lower Cyclorrhapha (Diptera: Brachycera) based on 28S rDNA sequences. *Insect Systematics and Evolution*, 33: 445-456.
- Courtney GW. 1991. Phylogenetic analysis of the Blephariceromorpha, with special reference to mountain midges (Diptera: Deuterophlebiidae). *Syst. Ent.* 16: 137-172.
- Courtney, G.W., B. J. Sinclair & R. Meier. (2000) 1.4. Morphology and terminology of Diptera larvae. pp. 85-161 in L. Papp & B. Darvas (editors). *Contributions to a Manual of Palaearctic Diptera. Volume 1*. Science Herald, Budapest. 978 pp.
- Cumming, J. M., and B.J. Sinclair, B. J. 2000. A new phylogenetics classification of the Empidoidea (Diptera: Eremoneura). Abstract Volume. XXI International Congress of Entomology, August 2000. Iguassu Falls Brazil.
- Cumming, J. M., B. J. Sinclair, D. M. Wood. 1995. Homolgy and phylogenetic implications of male genitalia in Diptera-Eremoneura. *Ent. Scand.* 26: 120-151.
- Curole, J. P., and T. D. Kocher, 1999. Mitogenomics: digging deeper with complete mitochondrial genomes. *Trends in Ecol. Evol.* 14: 394-398.
- Friedrich, M., and N. Muquim 2003. Sequence and phylogenetic analysis of the complete mitochondrial genome of the flour beetle *Tribolium castanaeum*, *Mol. Phylogenet. Evol.*, 26: 502-512.
- Friedrich, M. and Tautz, D. 1995. Ribosomal DNA phylogeny of the major extant arthropod classes and the evolution of myriapods. *Nature* 376: 165-167.
- Friedrich, M. and D. Tautz. 1997. Evolution and phylogeny of the Diptera: A molecular phylogenetic analysis using 28S rDNA. *Syst. Biol.* 46: 674-698.
- Gelbart, W and The FlyBase Consortium. 2002. The FlyBase database of the *Drosophila* genome projects and community literature. *Nuc. Acids Res.* 30: 106-108.
- Goloboff, P. A. 1993a. Estimating character weights during tree search. *Cladistics* 9: 83-91
- Goloboff, P. A. 1993b. Pee-Wee. (P)arsimony and (I)mplied (W)eights, version 2.6 (32 bit version). Program and documentation. Computer program distributed by J. M. Carpenter, Dept. of Entomology, American Museum of Natural History, New York.

- Goloboff, P.A. 1999. Analyzing large data sets in reasonable times: solutions for composite optima. *Cladistics* 15(4): 415-428.
- Griffiths, G. C. D., 1972 The phylogenetic classification of Diptera cyclorrhapha, with special reference to the structure of the male postabdomen. The Hague, Junk.
- Grimaldi, D. and J. Cumming, 1999. Brachyceran Diptera in Cretaceous ambers and Mesozoic diversification of the Eremoneura. *Bulletin of the American Museum of Natural History* 239: 1-124.
- Hennig, W. 1958. Die Familien der Diptera Schizophora und ihre phylogenetischen Verwandtschaftsbeziehungen. *Beitrage zur Entomologie* 8: 505-688.
- Hennig, W. 1965. Die Acalypratae des Baltischen Bernsteins und ihre Bedeutung für die Erforschung der phylogenetischen Entwicklung dieser Dipteren-Gruppe. *Stutt. Beitr. Naturkunde (C)* 127: 215 pp..
- Hennig, W. 1971. Insektfossilien aus der unteren Kriede. III. Empidiformia ("Microphinae") aus der unteren Kriede und aus dem Baltischen Bernstein; ein vertreter der Cyclorrhapha aus der unteren Kriede. *Stuttg. Beitr. Naturkd.* 232:1-28.
- Hennig, W. 1973. Diptera. In: W. Kükenthal (ed.). *Handbuch der Zoologie, IV: Arthropoda.* de Gruyter, New York, pp. 1-337.
- Hennig, W. 1976. Das Hypopygium von *Lonchoptera lutea* Panzer und die phylogenetischen Verwandtschaftsbeziehungen der Cyclorrhapha (Diptera) *Stuttg. Beitr. Naturkd.* 283: 1-63.
- Hennig, W. 1981. *Insect Phylogeny.* John Wiley & Sons, New York.
- Hillis, D. M., D. D. Pollock, J. A. McGuire, and D. J. Zwickl. Is sparse taxon sampling a problem for phylogenetic inference? *Syst. Biol.* 52: 124-126.
- Holt et al 2002 The genome sequence of the malaria mosquito *Anopheles gambiae*. *Science.* 298:129-49.
- Huelsenbeck J. P. and F. Ronquist. 2003. MrBayes: Bayesian inference of phylogenetic trees. *Bioinformatics* 17:754-755.
- Hurley et al 2001. Conservation of the expression of Dll, en, and wg in the eye –antennal imaginal disc of stalk-eyed flies. *Evolution and Development* 3, 408-414.
- Hwang, U. W., M. Friedrich, D. Tautz, C. J. Park and W. Kim, 2001 Mitochondrial protein phylogeny joins myriapods with chelicerates. *Nature* 413: 154-157.
- Kaufman, T. C., D. W. Severson, and G. E. Robinson. 2002. The Anopheles Genome and Comparative Insect Genomics. *Science* 298: 97-98.
- Kennedy, M. and Page, R .D. M. 2002. Seabird supertrees: Combining partial estimates of procellariiform phylogeny. *The Auk*, 119: 88-108.

- Kjer, K. M., R. J. Blahnik, and R. W. Holzenthal. 2001. Phylogeny of Trichoptera (Caddisflies): Characterization of signal and noise within multiple datasets. *Syst. Biol.* 50: 781-816.
- Kopp A., Duncan I., Godt D., and Carroll S. B. 2000. Genetic control and evolution of sexually dimorphic characters in *Drosophila*. *Nature* 408: 553-9.
- Krzeminski, W. 1992. Triassic and Lower Jurassic stage of Diptera evolution. *Mitt. Schweiz. Entomol. Ges.* 65: 39-59.
- Krzewinski J., R. C. Wilkerson, and N. J. Besansky. 2001. Toward Understanding Anopheline (Diptera: Culicidae) phylogeny: insights from nuclear single-copy genes and the weight of evidence. *Syst. Biol.* 50: 540-556
- Lessinger, A. C., A. C. Martins Junquiera, T. A. Lemos, E. L. Kemper, and F. R. Da Silva. 2000. The mitochondrial genome of the primary screwworm fly *Cochliomyia hominivorax* (Diptera: Calliphoridae). *Insect Mol. Biol.* 9: 521-529.
- Lewis, P. O. 2001. A likelihood approach to estimating phylogeny from discrete morphological character data. *Syst. Biol.* 50:913-925.
- Lewis, D. L., C. L. Farr and L. S. Kaguni. 1995. *Drosophila melanogaster* mitochondrial DNA: completion of the nucleotide sequence and evolutionary comparisons. *Insect Mol. Biol.* 4: 263-278.
- Mardulyn, P., and S.A. Cameron 1999. The major opsin in bees (Insecta: Hymenoptera): A promising nuclear gene for higher level phylogenetics. *Mol. Phylogenet. Evol.* 12: 168-176.
- McAlpine, J. F. 1989. Phylogeny and classification of the Muscomorpha. [Chapter] 116. Pp. 1397-1518 in McAlpine & Wood: *Manual of Nearctic Diptera*. Vol. 3. Agriculture Canada Monograph 32.
- Meier, R., and S. Hilger 2000g. On the egg morphology and phylogenetic relationships of Diopsidae (Diptera: Schizophora). *J. Zool. Syst. Evol. Res.* 38: 1-36.
- Meier, R. and B. M. Wiegmann. 2002. A phylogenetic analysis of Coelopidae (Diptera) based on morphological and DNA sequence data. *Mol. Phylogenet. Evol.* 25: 393-407.
- Michelsen, V. 1996. Neodiptera – new insights into the adult morphology and higher level phylogeny of Diptera. *Zool. J. Linn. Soc.* 117:71-102.
- Miller, B. R., M. B. Crabtree, and H. M. Savage. 1997. Phylogenetic relationships of the Culicomorpha inferred from 18S and 5.8S ribosomal DNA sequences (Diptera: Nematocera). *Insect Mol. Biol.* 6: 105-114.
- Mindell, D. P., M. D. Sorenson, D. E. Dimcheff, M. Hasegawa, and J. C. Ast. 1999. interordinal relationships of birds and other reptiles based on whole mitochondrial genomes. *Syst. Biol.* 48: 138-152.

Mitchell, S. E., A. F. Cockburn and J. A. Seawright. 1993. The mitochondrial genome of *Anopheles quadrimaculatus* species A: complete nucleotide sequence and gene organization. *Genome* 36: 1058-1073.

Murphy, M. J., E. Eizirik, S. J. O'Brien, O. Madsen, M. Scally, C. J. Douady, E. Teeling, O. A. Ryder, M. J. Stanhope, W. W. de Jong, and M. S. Springer. 2001. Resolution of the Early Placental Mammal Radiation Using Bayesian Phylogenetics. *Science* 294: 2348-2351.

Newcomb, R.D., P. M., Campbell, D. L. Ollis, , E. Cheah, R. J. Russell, and J. G. Oakeshott. 1997. A single amino acid substitution converts a carboxylesterase to an organophosphorus hydrolase and confers insecticide resistance on a blowfly. *Proc Natl Acad Sci. USA* 94: 7464-7468.

Nixon, K.C. 1999. The parsimony ratchet, a new method for rapid parsimony analysis. *Cladistics* 15(4): 407-414.

Norell, M. A. and M. J. Novacek. 1992. Congruence between superpositional and phylogenetic patterns: Comparing cladistic patterns with fossil records. *Cladistics* 8: 319-337.

Oakeshott, J.G., I. Horne, T. D. Sutherland, and R. J. Russell. 2003. The genomics of insecticide resistance. *Genome biology* 4: 202.1-202.4

Oesterbroek, F. L. S. and G. Courtney. 1995. Phylogeny of the nematoceros families of Diptera (Insecta). *Zool.J. Linn. Soc.* 115: 267-311.

Olmstead, R. G., P. A. Reeves, and A. C. Yen. 1998. Patterns of sequence evolution and implications for parsimony analysis of chloroplast DNA. Pages 164-187 in *Molecular Systematics of Plants II. DNA Sequencing*. (D. E. Soltis, P.S. Soltis, and J. J. Doyle, eds.) Kluwer Press, Boston.

Page, R. D. M. 1996. TREEVIEW: An application to display phylogenetic trees on personal computers. *Computer Applications in the Biosciences* 12: 357-358.

Palevitz, B.A. 2001. Deep Gene and Deep Time. *Evolving Collaborations Parse the Plant Family Tree*. *The Scientist*, March 5, 2001

Pape, T. 1992. Phylogeny of the Tachinidae family-group (Diptera: Calyptratae). *Tijdschrift Voor Entomologie* 135(1): 43-86.

Pawlowski, J, R. Szadziewski, D Kmieciak, J Fahrni, and G. Bittar. 1996. Phylogeny of the infraorder Culicomorpha (Diptera: Nematocera) based on 28S RNA gene sequences. *Syst. Entomol.* 21: 167-178.

Quicke, D.L. J.J. Taylor, and A. Purvis. 2001. Changing the landscape: a new strategy for estimating large phylogenies. *Systematic Biology* 50: 60-66.

Ragan, M. A. 1992. Phylogenetic inference based on matrix representation of trees. *Mol. Phylogenet. Evol.* 1: 53-58.

- Ranson, H., C. Claudianos, F. Ortelli, C. Abgrall, J. Hemingway, M. V. Sharakhova, M. F. Unger, F. H. Collins, and R. Feyereisen. 2002. Evolution of supergene families associated with insecticide resistance. *Science* 298:179-81.
- Regier, J. C., Fang, Q. Q., Mitter, C., Peigler, R.S., Friedlander, T. P., and Solis, M. A. .1998. Evolution and phylogenetic utility of the period gene in Lepidoptera. *Mol. Biol. Evol.* 15:1172-1182.
- Rice, K. A., M. J. Donoghue, and R.G. Olmstead. Analyzing large data sets: rbcL 500 revisited. *Syst. Biol.* 43:467-481.
- Rohr K. B., Tautz D., and Sander K. (1999). Segmentation gene expression in the mothmidge *Clogmia albipunctata* (Diptera, psychodidae) and other primitive dipterans. *Dev. Genes Evol.* 209: 145-54.
- Rokas A., J. A. A. Nylander, and F. Ronquist. 2002 A maximum-likelihood analysis of eight phylogenetic markers in gallwasps (Hymenoptera : Cynipidae): Implications for insect phylogenetic studies. *Mol. Phylogenet. Evol.* 22: 206-219.
- Rosenberg, M. S. and S. Kumar. 2001. Incomplete taxon sampling is not a problem for phylogenetic inference. *Proc. Nat. Acad. Sci.* 98: 10751-10756.
- Saether, O. 2000. Phylogeny of Culicomorpha. *Syst. Entomol.* 25: 223-234.
- Salamin, N., T. R. Hodkinson, and V. Savolainen 2002. Building supertrees: an empirical assessment using the grass family (Poaceae). *Syst. Biol.* 51: 136-150.
- Sanderson, M.J. 1997. A nonparametric approach to estimating divergence times in the absence of rate constancy. *Mol. Biol. Evol.* 14:1218-1232.
- Sanderson, M.J., A. Purvis, and C. Henze. 1998. Phylogenetic supertrees: assembling the trees of life. *Trends in Ecol. Evol.* 13:105-109
- Schmidt-Ott, U. M. Stauber, A. Prell, S. Lemke, H. Chung, P. Shaw. 2002. Evolution of developmental regulatory systems. *MPIbpc News A. Nr. 1-2 Feb.*
- Simon, C., F. Frati, A. Beckenbach, B. Crespi, and H. Liu. 1994 Evolution, Weighting, and Phylogenetic Utility of Mitochondrial Gene-Sequences and a Compilation of Conserved Polymerase Chain- Reaction Primers. *Ann. of the Entomol. Soc. of Am.* 87: 651-701.
- Sinclair, B. J. 1992. A phylogenetic interpretation of the Brachycera (Diptera) based on the larval mandible and associated mouthpart structures. *Syst. Entomol.* 17: 233-252.
- Sinclair, B. J., J. M. Cumming, and D. M. Wood. 1994. Homology and phylogenetic implications of male genitalia in Diptera- Lower Brachycera. *Ent. Scand.* 24 (1993): 407-432.
- Sinclair, B. J. 2000.1.2. Morphology and terminology of Diptera male genitalia. pp. 53-74 in L. Papp & B. Darvas (editors). *Contributions to a Manual of Palaearctic Diptera. Volume 1.* Science Herald, Budapest. 978 pp.

- Spanos, L., G. Koutroumbas, M. Kotsyfakis and C. Louis. 2000. The mitochondrial genome of the mediterranean fruit fly, *Ceratitidis capitata*. *Insect Mol Biol* 9: 139-144.
- Springer, M. S., R. W. Debry, C. Douady, H. M. Amrine, and O. Madsen. 2001. Mitochondrial versus nuclear gene sequences in deep-level mammalian phylogeny reconstruction. *Mol. Biol. Evol.* 18: 132-143.
- Stauber, M., A. Prell, and U. Schmidt-Ott. 2002. A single Hox3 gene with composite bicoid and zerknullt expression characteristics in non-Cyclorrhaphan flies. *Proc.Natl. Acad. Sci. USA* 97: 10844-10849.
- Stewart, J. B., and A. T. Beckenbach. 2003. Phylogenetic and genomic analysis of the complete mitochondrial DNA sequence of the spotted asparagus beetle *Crioceris duodecimpunctata*, *Mol. Phylogenet. Evol.*, 26: 513-526.
- Stuckenberg, B. R. 2001. Pruning the tree: a critical review of classifications of the Homeodactyla (Diptera, Brachycera), with new perspectives and an alternative classification. *Studia dipterologica*
- Swofford, D. L. 1999. PAUP*. Phylogenetic analysis using parsimony (*and other methods). Version 4. Sinauer Associates, Sunderland.
- Thorley, J. L., and R. D. M. Page 2000. RadCon: phylogenetic tree comparison and consensus. *Bioinformatics* 16: 486-487
- Thorne, J.L., H. Kishino, and I.S. Painter. 1998. Estimating the rate of evolution of the rate of molecular evolution. *Mol. Biol. Evol.* 15:1647-1657.
- Thorne, J. L., and H. Kishino. 2002. Divergence time and evolutionary rate estimation with multilocus data. *Syst. Biol.* 51(5):689-702.
- Thorne, J.L., H. Kishino, and I.S. Painter. 1998. Estimating the rate of evolution of the rate of molecular evolution. *Mol. Biol. Evol.* 15:1647-1657.
- Vossbrinck, C. R. and S. Friedman. 1989. A 28S ribosomal RNA phylogeny of certain cyclorrhaphous diptera based upon a hypervariable region. 14: 417-431.
- Waddell, P. J., C. Ying, J. Hauf and M. Hasegawa. 1999. Using novel phylogenetic methods to evaluate mammalian mtDNA, including amino acid-invariant sites-logDet plus site stripping, to detect internal conflicts in the data, with special reference to the positions of hedgehog, armadillo, and elephant. *Syst. Biol.* 48: 31-53.
- Wheeler, W. 1996 Optimization Alignment: the End of Multiple Sequence Alignment in Phylogenetics? *Cladistics* 12:1-9.
- Whiting, M.F., J.C. Carpenter, Q.D. Wheeler, and W.C. Wheeler. 1997. The Strepsiptera problem: phylogeny of the holometabolous insect orders inferred from 18S and 28S ribosomal DNA sequences and morphology. *Syst. Biol.* 46: 1-68.

- Wiegmann, B. M., C. Mitter, and F. C. Thompson. 1993. Evolutionary origin of the Cyclorrhapha (Diptera): Tests of alternative morphological hypotheses. *Cladistics* 9: 41-81.
- Wiegmann, B.M., Yeates, D.K., Thorne, J.L., Kishino, H. (in press) Time Flies: A new molecular time-scale for fly evolution without a clock. *Syst. Biol.* in press.
- Wilkinson, M, and J. L. Thorley, .1998. Reduced supertrees. *Trends Ecol. Evol.* 13:283-283.
- Wood and Borkent 1989 Phylogeny and classification of the Nematocera. [Chapter] 114. Pp. 1333-1370 in McAlpine & Wood: *Manual of Nearctic Diptera*. Vol. 3. Agriculture Canada Monograph 32.
- Woodley, N. E. 1989. Phylogeny and classification of the 'Orthorrhaphous' Brachycera. [Chapter] 115. Pp. 1371-1395 in McAlpine & Wood: *Manual of Nearctic Diptera*. Vol. 3. Agriculture Canada Monograph 32.
- Yeates, D. K. 1994. Cladistics and classification of the Bombyliidae. (Diptera: Asiloidea). *Bull. Am. Mus. Nat. Hist.* 219: 1-191.
- Yeates, D.K. and B.M. Wiegmann. 1999. Congruence and controversy: Toward a higher-level Phylogeny of the Diptera. *Annual Review of Entomology* 44: 397-428.
- Yeates, D. K. 2002 Relationships of extant lower Brachycera: a quantitative synthesis of morphological characters. *Zoologica Scripta*. 31: 105-121.
- Zdobnov , E. M., C. Mering, I. Letunic, D. Torrents, M. Suyama, R. R. Copley, G. K. Christophides, D. Thomasova, R. A. Holt, G. Mani Subramanian, H.-M. Mueller, G. Dimopoulos, J. H. Law, M. A. Wells, E. Birney, R. Charlab, A. L. Halpern, E. Kokoza, C. L. Kraft, Z. Lai, S. Lewis, C. Louis, C. Barillas-Mury, D. Nusskern, G. M. Rubin, S. L. Salzberg, G. G. Sutton, P. Topalis, R. Wides, P. Wincker, M. Yandell, F. H. Collins, J. Ribeiro, W. M. Gelbart, F. C. Kafatos, and P. Bork. 2002. Comparative Genome and Proteome Analysis of *Anopheles gambiae* and *Drosophila melanogaster*. *Science* 298: 149-159.
- Zwickl, D. J., and D. M. Hillis. 2002. Increased taxon sampling greatly increases phylogenetic error. *Syst. Biol.* 51:588-598.